SurePump™

for Horizontal and Vertical Leachate Pumping Applications





All Pumps are not created equal . . .

Patented, Stainless St

he EPG SurePump provides superior performance for both horizontal side slope riser and vertical sump applications. Both models are available in a wide range of flow rates, discharge heads and motor voltages. The SurePump, constructed of stainless steel, provides resistance to aggressive environments. Factory and field testing has shown that the integral E-Glide™ bearings

with better heat and wear resistance outlast Teflon* 4 to 1. The bearings and seal rings are bonded to the stainless steel rather than press fit. This allows the SurePump to work in applications where other designs fail.

level sensing are reasons EPG's
SurePump is the leachate pump of choice
among landfill professionals. With thousands of successful applications,
SurePump offers proven reliability.

Innovative, patented design and accurate

Unique design and wheel locations places at least four wheels in contact with the riser pipe surface at all times assuring easy installation and retrieval of the pump.

Patented submersible level sensor mounting located along the central axis of the sump drainer assures accurate, repeatable level control.

All stainless steel construction for maximum performance in aggressive environments.

SurePump runs cooler than other pumps because the intake screen is located below the motor. The sealed top assures that the liquid is only drawn from the bottom over the motor.

eel Sump Drainer

SurePump sump drainer as a sealed unit with bottom intake provides maximum pump down levels in horizontal, vertical or inclined applications. Patented vent valve system purges air from the sump drainer preventing pump air lock.

With no-splice, chemical and abrasion resistant motor and sensor leads, the SurePump is less work to install and assures greater system integrity in aggressive environments.

Equipped with EPG's E-Glide bearings, the SurePump lasts longer and performs better.

SurePump motors are designed for use in aggressive environments and are available in a variety of voltages and single or three phase. Multistage centrifugal pump permits smaller diameter pumps to be used in high discharge head applications. SurePump models are available for flow rates from 2 to 1,200 gpm.

Vertical SurePump Sump Drainer

Stainless steel construction and broad range of sizes available, make SurePump the logical choice for your next lift station, sump, or load out application.



*Teflon is a registered trademark of DuPont.

The SurePump Wheeled Sump Drainer is protected by U.S. patent #4,966,534 and #4,992,030



Trailer Mounted Leachate Pumping System

Portable leachate pumping system is designed for sites with low leachate production eliminating the need for multiple dedicated pumping systems. State-of-the-art electronic level control and tank overfill protection facilitate automatic pumping operations. Features include: Baffled storage tank, power generator, patented wheeled sump drainer, and separate reels for hose and cables. Systems are available to meet a variety of flow and head requirements.

With over 2,500 installations worldwide, EPG equipment has proven to have reliability, long life and trouble-free service. EPG's knowledgeable engineering and applications specialists provide the after-sale support that any system may need. To speak with an **EPG** applications specialist or to find out who to contact to in your area, please call us at 800-443-7426. We'll be happy to answer any questions you may have about SurePump, PumpMaster or any other EPG products.



Mailing Address P.O. Box 410 Rogers, MN 55374

Corporate Offices 19900 Co. Road 81 Maple Grove, MN 55311

Bulletin 0400a

PumpMaster™ Control Panels

EPG PumpMasterTM control panels are all custom designed in our UL listed shop by specialists who understand the control requirements of the system. Available with a multitude of options, PumpMaster is a key component of your leachate collection system.



Manufacturer of Solutions to Environmental Pollution Problems

SOLD BY			

(763) 424-2613 ♦ (800) 443-7426 ♦ FAX: (763) 493-4812 www.epgco.com