LevelMaster™ LMSA Level Monitoring System



The LevelMaster[™] Stand Alone (LMSA) Level Monitoring System monitors and displays liquid levels in sideslope risers, wells, tanks, sumps, reservoirs, and settling ponds. The Level Monitoring System includes the following time-tested, field-proven components:

LevelMasterTM Meter:

An easy-to-program (12 steps) meter used to monitor liquid levels. Includes level meter memory, digital display and can be configured in any measurement increment. Optional output relays can be used as a level controller.

LevelMasterTM Sensor:

Afully submersible, extremely accurate level sensor with outstanding noise immunity, 316 Stainless Steel housing, built-in temperature compensation and precise calibration.

EPG Panel Heater:

The built-in thermostatically controlled panel heater maintains minimum temperature, eliminates condensation, optimizes meter accuracy and extends the life of the system.

Fused Power Supply/Surge Supressor/NEMA 4X Enclosure:

The LMSA System is housed in a NEMA 4X weatherproof, non-metallic enclosure and includes a fused power supply and a surge supressor. An optional intrinsically safe barrier is available for the level sensor when used in hazardous locations.

Power requirements: 115 volts, 60 hertz, single phase. Also available in 12V DC, 24V DC and Solar.

For more information, call EPG Companies Inc.

Sold By:



Bulletin 0175a